

# ROOFING SELECTION GUIDE

## Luxury & Designer Roofing Shingles



**CertainTeed**  
SAINT-GOBAIN



*NOTE: Due to limitations of printing reproduction, CertainTeed can not guarantee the identical match of the actual product color to the graphic representations throughout this publication.*



# You know it when you see it.

It's not just a roof.  
It's a CertainTeed roof.

Quality. Durability. Style. Color.

When you select a roof for your home, there's a lot to consider.

That's when a roof becomes more than just a roof. The same way a home is more than just a house.

You want the best for your home and everything in it.

So why guess,  
when you can be **Certain?**







**CertainTeed**  
SAINT-GOBAIN

# LUXURY SHINGLES



Presidential Shake TL, shown in Charcoal Black

## COLOR AVAILABILITY



## PRESIDENTIAL SHAKE® TL

- Three-piece laminated fiberglass construction
- Distinctive sculpted, rustic look
- Lifetime limited transferable warranty - residential\*
- 50-year limited transferable warranty - group-owned or commercial\*
- 15-year StreakFighter® algae-resistance warranty (where available)
- 10-year SureStart™ protection
- 15-year 110 mph wind-resistance warranty
- Wind warranty upgrade to 130 mph available. CertainTeed starter and CertainTeed hip and ridge required
- Presidential Starter (required) and hip and ridge accessory available (see details in back of brochure)
- Select colors can be used to comply with the 2019 California Title 24 Part 6 Cool Roof Requirements 
- Colors marked with \* can be used to comply with Los Angeles County, California Title 31 cool roof requirements for steep-sloped residential construction.

CertainTeed products are tested to ensure the highest quality and comply with the following industry standards:

### Fire Resistance:

- UL Class A
- UL certified to meet ASTM D3018 Type 1

### Wind Resistance:

- UL certified to meet ASTM D3018 Type 1
- ASTM D3161 Class A

### Tear Resistance:

- UL certified to meet ASTM D3462
- CSA standard A123.5

### Wind Driven Rain Resistance:

- Miami-Dade Product Control Acceptance: Please reference [www.certainteed.com](http://www.certainteed.com) to determine approved products by manufacturing location.







### Quality Standards:

- ICC-ES-ESR-1389 & ESR-3537

\* See warranty for specific details and limitations.

# LUXURY SHINGLES

## COLOR AVAILABILITY



Presidential Shake, shown in Aged Bark

## PRESIDENTIAL SHAKE®

- Two-piece laminated fiberglass construction
- Distinctive sculpted, rustic look
- Lifetime limited transferable warranty - residential\*
- 50-year limited transferable warranty - group-owned or commercial\*
- 15-year StreakFighter® algae-resistance warranty (where available)
- 10-year SureStart™ protection
- 15-year 110 mph wind-resistance warranty
- Wind warranty upgrade to 130 mph available. CertainTeed starter and CertainTeed hip and ridge required
- Presidential Starter (required) and hip and ridge accessory available (see details in back of brochure)
- Select colors can be used to comply with the 2019 California Title 24 Part 6 Cool Roof Requirements
- Colors marked with \* can be used to comply with Los Angeles County, California Title 31 cool roof requirements for steep-sloped residential construction.

\* See warranty for specific details and limitations.

CertainTeed products are tested to ensure the highest quality and comply with the following industry standards:

### Fire Resistance:

- UL Class A
- UL certified to meet ASTM D3018 Type 1

### Wind Resistance:

- UL certified to meet ASTM D3018 Type 1
- ASTM D3161 Class F

### Tear Resistance:

- UL certified to meet ASTM D3462
- CSA standard A123.5

### Wind Driven Rain Resistance:

- Miami-Dade Product Control Acceptance: Please reference [www.certainteed.com](http://www.certainteed.com) to determine approved products by manufacturing location.

### Quality Standards:

- ICC-ES-ESR-1389 & ESR-3537

# LUXURY SHINGLES




Grand Manor, shown in Brownstone

## COLOR AVAILABILITY




Black Pearl




Brownstone




Colonial Slate




Gatehouse Slate




Georgian Brick



Sherwood Forest



Stonegate Gray



Weathered Wood

## GRAND MANOR®

- Two full-size, fiberglass-based shingles with randomly applied tabs
- Authentic depth and dimension of natural slate
- Virtual five-layer coverage when applied
- Lifetime limited transferable warranty - residential\*
- 50-year limited transferable warranty - group-owned or commercial\*
- 15-year StreakFighter® algae-resistance warranty
- 10-year SureStart™ protection
- 15-year 110 mph wind-resistance warranty
- Wind warranty upgrade to 130 mph available. CertainTeed starter and CertainTeed hip and ridge required
- High-Performance Starter and hip and ridge accessory available (see details in back of brochure)

\* See warranty for specific details and limitations.

CertainTeed products are tested to ensure the highest quality and comply with the following industry standards:

### Fire Resistance:

- UL Class A
- UL certified to meet ASTM D3018 Type 1

### Wind Resistance:

- UL certified to meet ASTM D3018 Type 1
- ASTM D3161 Class F

### Tear Resistance:

- UL certified to meet ASTM D3462
- CSA standard A123.5

### Wind Driven Rain Resistance:




- Miami-Dade Product Control Acceptance: Please reference [www.certainteed.com](http://www.certainteed.com) to determine approved products by manufacturing location.

### Quality Standards:

- ICC-ES-ESR-1389 & ESR-3537

# LUXURY SHINGLES

## COLOR AVAILABILITY



*Carriage House, shown in Stonegate Gray*

## CARRIAGE HOUSE®

- Two full-size, fiberglass-based shingles
- Unique chamfered cut for scalloped appearance
- Four-layer coverage when applied
- Lifetime limited transferable warranty - residential\*
- 50-year limited transferable warranty - group-owned or commercial\*
- 15-year StreakFighter® algae-resistance warranty
- 10-year SureStart™ protection
- 15-year 110 mph wind-resistance warranty
- Wind warranty upgrade to 130 mph available. CertainTeed starter and CertainTeed hip and ridge required
- Hip and ridge accessory available (see details in back of brochure)

\* See warranty for specific details and limitations.

CertainTeed products are tested to ensure the highest quality and comply with the following industry standards:

### Fire Resistance:

- UL Class A
- UL certified to meet ASTM D3018 Type 1

### Wind Resistance:

- UL certified to meet ASTM D3018 Type 1
- ASTM D3161 Class F

### Tear Resistance:

- UL certified to meet ASTM D3462
- CSA standard A123.5

### Wind Driven Rain Resistance:

- Miami-Dade Product Control Acceptance: Please reference [www.certainteed.com](http://www.certainteed.com) to determine approved products by manufacturing location.

### Quality Standards:

- ICC-ES-ESR-1389 & ESR-3537

## GRAND MANOR and CARRIAGE HOUSE SHINGLES

These two shingles can be combined to create a myriad of custom patterns, emulating traditional slate roof designs.

# LUXURY SHINGLES



Landmark TL, shown in Shenandoah

## LANDMARK® TL

- Three-piece laminated fiberglass construction
- Rustic appearance of hand-split wood shakes
- Lifetime limited transferable warranty - residential\*
- 50-year limited transferable warranty - group-owned or commercial\*
- 15-year StreakFighter® algae-resistance warranty (where available)
- NailTrak® extra-wide nailing area for accurate installation
- 10-year SureStart™ protection
- 15-year 110 mph wind-resistance warranty
- Wind warranty upgrade to 130 mph available. CertainTeed starter and CertainTeed hip and ridge required
- CertainTeed Starter and hip and ridge accessory available (see details in back of brochure)
- Select colors can be used to comply with the 2019 California Title 24 Part 6 Cool Roof Requirements



\* See warranty for specific details and limitations.

CertainTeed products are tested to ensure the highest quality and comply with the following industry standards:

**Fire Resistance:**

- UL Class A
- UL certified to meet ASTM D3018 Type 1

**Wind Resistance:**

- UL certified to meet ASTM D3018 Type 1
- ASTM D3161 Class F

**Tear Resistance:**

- UL certified to meet ASTM D3462
- CSA standard A123.5





**Wind Driven Rain Resistance:**

- Miami-Dade Product Control Acceptance: Please reference [www.certainteed.com](http://www.certainteed.com) to determine approved products by manufacturing location.

**Quality Standards:**

- ICC-ES-ESR-1389 & ESR-3537

### COLOR AVAILABILITY






# DESIGNER SHINGLES




Landmark Premium, shown in Max Def Weathered Wood

## COLOR AVAILABILITY




Max Def Burnt Sienna




Max Def Heather Blend



Max Def Moire Black



Max Def Resawn Shake



Max Def Weathered Wood

## LANDMARK<sup>®</sup> PREMIUM

- Two-piece laminated fiberglass-based construction
- Classic shades and dimensional appearance of natural wood or slate
- Lifetime limited transferable warranty – residential\*
- 50-year limited transferable warranty – group-owned or commercial\*
- NailTrak<sup>®</sup> extra-wide nailing area for accurate installation
- 10-year SureStart<sup>™</sup> protection
- 15-year 110 mph wind-resistance warranty
- Wind warranty upgrade to 130 mph available. CertainTeed starter and CertainTeed hip and ridge required
- CertainTeed Starter and hip and ridge accessory available (see details in back of brochure)

\* See warranty for specific details and limitations.

CertainTeed products are tested to ensure the highest quality and comply with the following industry standards:

### Fire Resistance:

- UL Class A
- UL certified to meet ASTM D3018 Type 1

### Wind Resistance:

- UL certified to meet ASTM D3018 Type 1
- ASTM D3161 Class F

### Tear Resistance:

- UL certified to meet ASTM D3462
- CSA standard A123.5

### Quality Standards:


- ICC-ES-ESR-1389 & ESR-3537

# DESIGNER SHINGLES



Landmark Pro, shown in Max Def Moire Black

## LANDMARK® PRO

- Two-piece laminated fiberglass-based construction
- Classic shades and dimensional appearance of natural wood or slate
- Lifetime limited transferable warranty - residential\*
- 50-year limited transferable warranty - group-owned or commercial\*
- NailTrak® extra-wide nailing area for accurate installation
- 10-year SureStart™ protection
- 15-year 110 mph wind-resistance warranty
- Wind warranty upgrade to 130 mph available. CertainTeed starter and CertainTeed hip and ridge required
- CertainTeed Starter and hip and ridge accessory available (see details in back of brochure)
- Select colors can be used to comply with the 2019 California Title 24 Part 6 Cool Roof Requirements 
- Colors marked with \* can be used to comply with Los Angeles County, California Title 31 cool roof requirements for steep-sloped residential construction.

CertainTeed products are tested to ensure the highest quality and comply with the following industry standards:

**Fire Resistance:**

- UL Class A
- UL certified to meet ASTM D3018 Type 1

**Wind Resistance:**

- UL certified to meet ASTM D3018 Type 1
- ASTM D3161 Class F




**Tear Resistance:**

- UL certified to meet ASTM D3462
- CSA standard A123.5

**Quality Standards:**


- ICC-ES-ESR-1389 & ESR-3537

### COLOR AVAILABILITY
























\* See warranty for specific details and limitations.

# DESIGNER SHINGLES



Landmark, shown in Georgetown Gray

## COLOR AVAILABILITY

 Burnt Sienna	 Terra Cotta	 Solaris Heather Blend* CRRC Product ID 0668-0117
 Georgetown Gray	 Thunderstorm Gray	 Solaris Mist White* CRRC Product ID 0668-0071
 Heather Blend	 Weathered Wood	 Solaris Moire Black CRRC Product ID 0668-0129
 Hunter Green	 Solaris Birchwood CRRC Product ID 0668-0084	 Solaris Mojave Tan CRRC Product ID 0668-0115
 Moire Black	 Solaris Burnt Sienna* CRRC Product ID 0668-0153	 Solaris Resawn Shake* CRRC Product ID 0668-0118
 Painted Desert	 Solaris Crystal Gray* CRRC Product ID 0668-0058	 Solaris Silver Birch* CRRC Product ID 0668-0072
 Sunrise Cedar	 Solaris Georgetown Gray* CRRC Product ID 0668-0116	 Solaris Weathered Wood* CRRC Product ID 0668-0119

## LANDMARK®

- Two-piece laminated fiberglass-based construction
- Classic shades and dimensional appearance of natural wood or slate
- Lifetime limited transferable warranty\*
- NailTrak® extra-wide nailing area for accurate installation
- 10-year SureStart™ protection
- 15-year 110 mph wind-resistance warranty
- Wind warranty upgrade to 130 mph available. CertainTeed starter and CertainTeed hip and ridge required
- CertainTeed Starter and hip and ridge accessory available (see details in back of brochure)
- Select colors can be used to comply with the 2019 California Title 24 Part 6 Cool Roof Requirements
- Colors marked with \* can be used to comply with Los Angeles County, California Title 31 cool roof requirements for steep-sloped residential construction.

CertainTeed products are tested to ensure the highest quality and comply with the following industry standards:

### Fire Resistance:

- UL Class A
- UL certified to meet ASTM D3018 Type 1

### Wind Resistance:

- UL certified to meet ASTM D3018 Type 1
- ASTM D3161 Class F

### Tear Resistance:

- UL certified to meet ASTM D3462
- CSA standard A123.5

### Quality Standards:

- ICC-ES-ESR-1389 & ESR-3537



\* See warranty for specific details and limitations.

# DESIGNER SHINGLES

Landmark Solaris Platinum, shown in Sierra Buff

## LANDMARK SOLARIS® PLATINUM

### Cool Roof Shingles

- Two-piece laminated fiberglass-based construction
- Classic shades and dimensional appearance of natural wood or slate
- Meets ENERGY STAR requirements
- Lifetime limited transferable warranty – residential\*
- NailTrak® extra-wide nailing area for accurate installation
- 10-year SureStart™ protection
- 15-year 110 mph wind-resistance warranty
- Wind warranty upgrade to 130 mph available. CertainTeed starter and CertainTeed hip and ridge required
- Colors shown can be used to comply with the 2019 California Title 24 Part 6 Cool Roof Requirements 
- Colors shown can be used to comply with Los Angeles County, California Title 31 cool roof requirements for steep-sloped residential construction.

\* See warranty for specific details and limitations.

CertainTeed products are tested to ensure the highest quality and comply with the following industry standards:

#### Fire Resistance:

- UL Class A
- UL certified to meet ASTM D3018 Type 1

#### Wind Resistance:

- UL certified to meet ASTM D3018 Type 1
- ASTM D3161 Class F


#### Tear Resistance:

- UL certified to meet ASTM D3462
- CSA standard A123.5

#### Quality Standards:

- ICC-ES-ESR-1389 & ESR-3537


### COLOR AVAILABILITY



# DESIGNER SHINGLES




## COLOR AVAILABILITY




Black Granite




Fieldstone



Max Def Weathered Wood



New England Slate



Smokey Quartz



Tudor Brown

Roof - Highland Slate, shown in Fieldstone  
Siding - Cedar Impressions® Double 7" Perfection Shingles, shown in Seagrass

## HIGHLAND SLATE®

- Single layer fiberglass-based construction
- Blended shades and dimensional appearance of natural slate
- 8" exposure, 18" x 36" size
- Lifetime limited transferable warranty - residential\*
- 50-year limited transferable warranty - group-owned or commercial\*
- 15-year StreakFighter® algae-resistance warranty
- 10-year SureStart™ protection
- 15-year 110 mph wind-resistance warranty
- Wind warranty upgrade to 130 mph available. CertainTeed starter and CertainTeed hip and ridge required

\* See warranty for specific details and limitations.

CertainTeed products are tested to ensure the highest quality and comply with the following industry standards:

### Fire Resistance:

- UL Certified to meet ASTM D3018 Type 1
- UL 790 Class A
- ASTM E 108 Class A

### Wind Resistance:

- UL 2390/ASTM D 6381 Class H
- ASTM D3161 Class F

### Tear Resistance:

- UL Certified to meet ASTM D3462
- CSA Standard A123.5

### Wind Driven Rain Resistance:

- Miami-Dade Product Control Acceptance: Please reference [www.certainteed.com](http://www.certainteed.com) to determine approved products by manufacturing location.

### Quality Standards:

- ICC-ES-ESR-1389 & ESR-3537

# COOL ROOF SHINGLES



Landmark PRO, shown in Max Def Heather Blend

## THE COLLECTION

CertainTeed's Cool Roof Shingle Collection puts cool roof technology to work for you.

Our advanced roofing granules reflect solar energy and radiant heat far better than traditional roofing shingles, reducing your roof's temperature in the summer.

All are rated by the Cool Roof Rating Council (CRRC) and can be used to comply with the 2019 California Title 24 Part 6 Cool Roof Requirements.



Choose from three spectacular solar shingle line-ups.

**GOOD:** Landmark®

**BETTER:** Landmark PRO® and Presidential Shake®

**BEST:** Landmark Solaris® Platinum, with an industry leading solar reflectance value of over 40%, Landmark® TL and Presidential Shake® TL

## Solar Reflectivity (SR), Thermal Emittance (TE) & Solar Reflectance Index (SRI) Data










Product	Color	Tier	CRRC Rated Product Directory						CA 2019 Title 24*	LA County Title 31**	Energy Star Certified	
			Product ID	Solar Reflectance		Thermal Emittance		Solar Reflectance Index				
				Initial	Aged	Initial	Aged	Initial				Aged
Landmark®	Solaris Birchwood	Good	0668-0084	0.21	0.21	0.92	0.83	21	17	YES	NO	NO
Landmark®	Solaris Burnt Sienna	Good	0668-0153	0.20	pending	0.92	pending	20	pending	YES	YES	NO
Landmark®	Solaris Crystal Gray	Good	0668-0058	0.27	0.26	0.92	0.90	29	27	YES	YES	YES
Landmark®	Solaris Georgetown Gray	Good	0668-0116	0.20	0.20	0.91	0.92	19	20	YES	YES	NO
Landmark®	Solaris Heather Blend	Good	0668-0117	0.20	0.20	0.91	0.92	19	20	YES	YES	NO
Landmark®	Solaris Mist White	Good	0668-0071	0.26	0.28	0.92	0.90	28	29	YES	YES	YES
Landmark®	Solaris Moire Black	Good	0668-0129	0.19	pending	0.91	pending	18	pending	YES	NO	NO
Landmark®	Solaris Mojave Tan	Good	0668-0115	0.19	0.20	0.88	0.90	17	19	YES	NO	NO
Landmark®	Solaris Resawn Shake	Good	0668-0118	0.19	0.20	0.92	0.93	19	20	YES	YES	NO
Landmark®	Solaris Silver Birch	Good	0668-0072	0.26	0.27	0.90	0.89	27	28	YES	YES	YES
Landmark®	Solaris Weathered Wood	Good	0668-0119	0.20	0.21	0.91	0.91	19	21	YES	YES	NO
Landmark® PRO	Solaris Max Def Burnt Sienna	Better	0668-0154	0.21	pending	0.92	pending	21	pending	YES	YES	NO
Landmark® PRO	Solaris Max Def Georgetown Gray	Better	0668-0122	0.20	pending	0.94	pending	21	pending	YES	YES	NO
Landmark® PRO	Solaris Max Def Heather Blend	Better	0668-0123	0.19	pending	0.93	pending	19	pending	YES	NO	NO
Landmark® PRO	Solaris Max Def Moire Black	Better	0668-0130	0.19	pending	0.91	pending	18	pending	YES	NO	NO
Landmark® PRO	Solaris Max Def Resawn Shake	Better	0668-0124	0.19	pending	0.93	pending	19	pending	YES	NO	NO
Landmark® PRO	Solaris Max Def Weathered Wood	Better	0668-0125	0.21	pending	0.94	pending	22	pending	YES	YES	NO
Landmark® PRO	Solaris Silver Birch	Better	0668-0072	0.26	0.27	0.90	0.89	27	28	YES	YES	YES
Presidential Shake®	Solaris Autumn Blend	Better	0668-0127	0.21	pending	0.92	pending	21	pending	YES	YES	NO
Presidential Shake®	Solaris Charcoal Black	Better	0668-0132	0.18	pending	0.93	pending	19	pending	YES	NO	NO
Presidential Shake®	Solaris Country Gray	Better	0668-0128	0.21	pending	0.92	pending	21	pending	YES	YES	NO
Presidential Shake®	Solaris Shadow Gray	Better	0668-0134	0.18	pending	0.92	pending	17	pending	YES	NO	NO
Landmark Solaris® Platinum	Coastal Tan	Best	0668-0079	0.40	0.36	0.91	0.90	45	40	YES	YES	YES
Landmark Solaris® Platinum	Sierra Buff	Best	0668-0078	0.41	0.37	0.92	0.90	47	41	YES	YES	YES
Landmark® TL	Solaris Country Gray	Best	0668-0149	0.21	0.20	0.92	0.90	21	19	YES	NO	NO
Landmark® TL	Solaris Moire Black	Best	0668-0148	0.19	0.19	0.93	0.91	19	18	YES	NO	NO
Landmark® TL	Solaris Platinum	Best	0668-0147	0.21	0.20	0.93	0.90	22	19	YES	NO	NO
Presidential Shake® TL	Solaris Autumn Blend	Best	0668-0127	0.21	pending	0.92	pending	21	pending	YES	YES	NO
Presidential Shake® TL	Solaris Charcoal Black	Best	0668-0132	0.18	pending	0.93	pending	19	pending	YES	NO	NO
Presidential Shake® TL	Solaris Country Gray	Best	0668-0128	0.21	pending	0.92	pending	21	pending	YES	YES	NO
Presidential Shake® TL	Solaris Shadow Gray	Best	0668-0134	0.18	pending	0.92	pending	17	pending	YES	NO	NO

\* Can be used to comply with the 2019 California Title 24 Part 6 Cool Roof Requirements.

\*\* Can be used to comply with Los Angeles County, California Title 31 cool roof requirements for steep-sloped residential construction.






# Good

## LANDMARK®





# Better

## LANDMARK® PRO





## PRESIDENTIAL SHAKE®





# Best




## LANDMARK SOLARIS® PLATINUM



## LANDMARK® TL



## PRESIDENTIAL SHAKE® TL



## HIP AND RIDGE ACCESSORIES



### Shangle® Ridge Accessory

- Hip and ridge capping
- Two full layers
- 12" width allows application over standard ridge vents
- Full 8" exposure
- Matches all Grand Manor, Highland Slate and Carriage House colors
- Algae resistant



### Shadow Ridge®

- Used for hip and ridge capping
- Single-layer coverage for product versatility
- Sealant strip for maximum adherence
- Dimensions are 13 1/4" x 39 3/8", with a 5 5/8" exposure
- Can be used on shingle-over vents or directly over centerline of hip or ridge
- Available in complementary product colors (see individual Roofing Plant Catalogs for color availability)



### Mountain Ridge®

- Fiberglass reinforced SBS modified bitumen
- Five layer design with tri-laminate base
- 10" width
- 8" exposure
- Also available in Solaris colors



### Solaris® Hip and Ridge

- Used for hip and ridge capping
- Matches Landmark Solaris shingle colors
- Covers 45 lineal feet per bundle; 24 shingles per bundle



### Cedar Crest®


- Dimensions are (overall) 12" x 36", separated into individual pieces 12" x 12", with an 8" exposure
- Covers 20 lineal feet per bundle
- Matches all Highland Slate colors

# Technology that protects the beauty of your roof and strengthens its performance.

## **NAILTrak®** Shingle Technology

**The bond that holds it together.**

For more than a decade, NailTrak has improved shingle installation by providing a nailing area three times wider than that of a typical laminate shingle. This increases efficiency and accuracy in installation, providing homeowners greater peace of mind. Landmark® shingles also feature our specially-formulated Quadra-Bond® adhesive, providing industry-leading resistance to delamination. Together, our NailTrak and Quadra-Bond technologies deliver the strength and durability that allow your roof to stand the test of time.



1-1/2" extra-wide nailing area improves efficiency and accuracy




An industry-leading four strips of our Quadra-Bond adhesive for durability.

Diagram for illustrative purposes only.



# Underlayment Protection

## WINTERGUARD®



When snow and ice melt, trapped water can infiltrate to damage the roof deck and building interior.

WinterGuard is installed under shingled roofing to prevent water damage from ice dams, as well as wind-driven rain.

WinterGuard Sand and WinterGuard Granular are designed for use on roof decks as a waterproofing underlayment beneath shingle, slate and tile roofs to prevent leakage due to water backup from ice dams or wind-driven rain. WinterGuard HT, an advanced waterproofing underlayment, is specially formulated to resist high roof temperatures and is the only WinterGuard product to be warranted for use under metal roofs. WinterGuard is most commonly used in critical areas such as roof eaves, valleys and low-slope applications.

## WINTERGUARD® METAL

WinterGuard Metal self-adhering underlayment has a tough, tear-resistant film on its top surface that will not scratch roofing metal applied over it. The adhesive bottom surface of WinterGuard Metal is protected with a disposable silicone-coated release film, which is split longitudinally down the middle for easier application. Manufactured to meet ASTM D1970.

*WinterGuard is classified by Underwriters Laboratories (UL) to be a suitable underlayment for use in any UL Class A, B or C fire rated shingle system, and it is manufactured to meet ASTM D1970. For specific details and limitations, refer to the actual product warranties.*

## ROOFERS' SELECT®

This revolutionary high-performance underlayment combines new technology with the best attributes of true 15 and 30 lb. felt. It lays flat and is extremely resistant to wrinkling, reduces the likelihood of slipping for increased safety, doesn't tear away from fasteners when walked on or in strong wind and meets underlayment requirements for the CertainTeed Integrity Roof System™.

## DIAMONDDECK®

DiamondDeck is a synthetic, scrim-reinforced, water-resistant underlayment that can be used beneath shingle, shake, metal, or slate roofing. It is manufactured to provide best-in-class performance in terms of both weather protection and contractor safety. 10-square roll (4-foot wide and 250-foot long) is easier to handle and faster to apply than standard felt rolls.

## ROOFRUNNER®

Lightweight synthetic polymer-based underlayment outperforms felt and outclasses other synthetics. Designed for use on roof decks as a water-resistant layer beneath asphalt roofing shingles, this scrim-reinforced underlayment includes a special top surface treatment that provides excellent slip resistance, even when wet. Large roll size - 4ft wide x 250 ft long - speeds application.

## SureStart™ Protection



Because CertainTeed roofing products are manufactured to the highest quality standards, we confidently include the additional assurance of SureStart™ protection with all CertainTeed shingles. SureStart provides the strongest protection you can get in the vital early years after your new roof has been installed.

Simply put, if a manufacturing defect is discovered during the SureStart period, CertainTeed will provide reimbursement of 100% of the cost of the shingles and labor to repair the defective shingles or apply new shingles to replace the defective shingles. See actual warranty for details and limitations.

Lifetime Limited Warranty Shingles Coverage	3-STAR Protection 20 years	4-STAR Protection 50 years*	5-STAR Protection 50 years**
Materials & Labor	✓	✓	✓
Tear-off	✓	✓	✓
Disposal		✓	✓
Workmanship			✓***

\*Applies to single-family detached houses. Duration for all other types of structures is limited to 25 years.

\*\*Applies to single-family detached houses. Duration for all other types of structures is limited to 30 years.

\*\*\*Workmanship is covered for 25 years.

**Flat Roof Sections:** If a CertainTeed Flintlastic self-adhered roof system is part of the job, up to 10 squares will be covered for 12, 15 or 20 years depending upon the specific system installed. Refer to the Commercial Systems Specifications Manual for all other Flintlastic systems.

# SELECTION GUIDE

LUXURY SHINGLES			Shingle Construction and Description	UL Class A Fire Resistance Rating	UL Certified to Meet ASTM D3462	UL Certified to Meet ASTM D3018 Type 1	ASTM D3161 Wind Resistance	Conforms To CSA Standard A123.5	ICC-ES ESR-1389 & ESR-3537
Product Name	Image	Description							
Presidential Shake TL		Three-piece laminated fiberglass construction; Distinctive sculpted, rustic look	✓	✓	✓	Class A	✓	✓	
Presidential Shake		Three-piece laminated fiberglass construction; Distinctive sculpted, rustic look	✓	✓	✓	Class F, 110 mph	✓	✓	
Grand Manor		Two full-size, fiberglass-based shingles with randomly applied tabs; Authentic depth and dimension of natural slate; Virtual five-layer coverage when applied	✓	✓	✓	Class F, 110 mph	✓	✓	
Carriage House		Two full-size, fiberglass-based shingles; Unique chamfered cut for scalloped appearance; Four-layer coverage when applied	✓	✓	✓	Class F, 110 mph	✓	✓	
Landmark TL		Three-piece laminated fiberglass construction; Rustic appearance of hand-split wood shakes	✓	✓	✓	Class F, 110 mph	✓	✓	
DESIGNER SHINGLES									
Landmark Premium		Two-piece laminated fiberglass-based construction; Classic shades and dimensional appearance of natural wood or slate	✓	✓	✓	Class F, 110 mph	✓	✓	
Landmark Pro		Two-piece laminated fiberglass-based construction; Classic shades and dimensional appearance of natural wood or slate	✓	✓	✓	Class F, 110 mph	✓	✓	
Landmark		Two-piece laminated fiberglass-based construction; Classic shades and dimensional appearance of natural wood or slate	✓	✓	✓	Class F, 110 mph	✓	✓	
Landmark Solaris Platinum		Two-piece laminated fiberglass-based construction; Classic shades and dimensional appearance of natural wood or slate	✓	✓	✓	Class F, 110 mph	✓	✓	
Highland Slate		Single layer fiberglass-based construction; Blended shades and dimensional appearance of natural slate	✓	✓	✓	Class F, 110 mph	✓	✓	

Limited Transferable Warranty Against Manufacturing Defects On Residential Applications <small>*50-Year on Group-owned or Commercial Applications</small>	StreakFighter algae-resistance Warranty (where available)	SureStart Protection	Wind-Resistance Warranty <small>Upgraded wind warranty available. See warranty for details and limitations</small>	Shingle Size	Bundles Per Square
	15-year (where available)	10-year	15-year 110 mph **	14 1/4" x 40" 4" Exposure	6
Lifetime*	15-year (where available)	10-year	15-year 110 mph **	14 1/4" x 40" 4" Exposure	5
Lifetime*	15-year	10-year	15-year 110 mph **	18" x 36" 8" Exposure	5
Lifetime*	15-year	10-year	15-year 110 mph **	18" x 36" 8" Exposure	5
Lifetime*	15-year (where available)	10-year	15-year 110 mph **	13 1/4" x 40" 5 5/8" Exposure	4
Lifetime*		10-year	15-year 110 mph **	13 1/4" x 38 3/4" 5 5/8" Exposure	4
Lifetime*		10-year	15-year 110 mph **	13 1/4" x 38 3/4" 5 5/8" Exposure	4
Lifetime*		10-year	15-year 110 mph **	13 1/4" x 38 3/4" 5 5/8" Exposure	3
Lifetime*		10-year	15-year 110 mph **	13 1/4" x 38 3/4" 5 5/8" Exposure	3
Lifetime*	15-year	10-year	15-year 110 mph **	18" x 36" 8" Exposure	3

\*\* Wind warranty upgrade to 130 mph available. CertainTeed starter and CertainTeed hip and ridge required.

## High-Performance Starter

Starter Course shingle specifically for use with Grand Manor and Highland Slate—and the only approved installation alternative to using the shingles themselves.

- 10" x 36", 102 lineal ft. per bundle, 34 shingles per bundle
- Provides labor and cost savings by not cutting shingles
- Dual sealant strip for increased wind resistance
- Better look with straight factory-cut eave edge

## Presidential Starter

Required for Presidential Shake TL and Presidential Shake applications.

- 13 1/4" x 40" (required double layer), 36.5 lineal ft. per bundle (based on 2-layer application), 22 shingles per bundle.
- Two layers of straight factory-cut eave edge
- Available in the entire Presidential Shake TL and Presidential Shake color line
- Assures Class A fire rating
- Saves significant installation time

## CertainTeed Swiftstart®

CertainTeed Swiftstart metric starter shingle is designed specifically for use with CertainTeed Landmark Series shingles. Rather than cutting expensive field shingles to use as starters, you can save time and money by starting with Swiftstart.

- Code-compliant, meets min. 2" headlap requirement for metric shingles; many competing products do not
- Each 18-piece bundle covers 116 lineal ft.
- Recommended for use to obtain enhanced warranties

## Shangle® Ridge Accessory

- Hip and ridge for Grand Manor, Carriage House and Highland Slate; 10 lineal ft. per bundle; 15 shingles per bundle

## Shadow Ridge®

- Hip and ridge for Landmark TL and Landmark Series; 45 lineal ft. per bundle; 24 shingles per bundle

## Mountain Ridge®

- Hip and ridge for Presidential TL, Presidential Shake, Presidential Solaris, Landmark TL, Landmark Series, Landmark Solaris, Presidential TL Solaris and Presidential Solaris

## Solaris® Hip and Ridge

- Used for hip and ridge capping
- Matches Landmark Solaris shingle colors
- Covers 45 lineal feet per bundle; 24 shingles per bundle

## Cedar Crest®

- Hip and ridge for Highland Slate; 20 lineal ft. per bundle

## Ventilation

- CertainTeed Ridge Vent 9" filtered Class A
- CertainTeed Ridge Vent 9" filtered
- CertainTeed Ridge Vent 7" filtered Class A
- CertainTeed Ridge Vent 12" filtered
- CertainTeed Intake Vent filtered
- CertainTeed Rolled Ridge Vent filtered



# Color Companion Products™ for Flat Roof Areas

With CertainTeed Flintlastic® SA, you can coordinate flat roof areas like carports, canopies and porches with your main roof. Flintlastic SA is a self-adhering low slope roofing product available in colors that complement some of the most popular CertainTeed shingles.



## What's behind our #1 rating?

Builders and remodelers across America know certain things to be true of CertainTeed. For starters, we've been in the roofing business for over 100 years. We have thousands of satisfied homeowners. The process of building that satisfaction begins the moment you turn to us.

CertainTeed offers you the broadest range of color and style choices. But you'll see it's not style over substance. You'll get a roof that's made from the highest quality materials and backed by a strong warranty program. It's our promise to you: quality made certain, satisfaction guaranteed.

# The ColorView® Visualizer: Design your Dream Home with the Click of a Mouse

CertainTeed created the ColorView tool to help homeowners bring their creative vision to reality.

Just look through a photo library of homes to choose one that looks most like your own. Then click on the roof to easily switch designs and see what CertainTeed product looks best. You can choose from hundreds of different roofing design and color combinations, and even add roof accents in different colors. All before anyone raises a hammer.



Want to visualize different roofing styles on your own home? You can upload photos to ColorView and have them digitally masked by one of our design professionals, or use DIY mode to upload and mask your own photos.

Plus, you can print or share your ColorView photos with family and friends to get their feedback. Visit [colorview.certainteed.com](http://colorview.certainteed.com) and get started.



# MATTERHORN®

Metal Roofing



Most colors are rated by the Cool Roof Rating Council (CRR) for cool roofs and can be used to comply with the 2019 California Title 24 Part 6 Cool Roof Requirements.



Because  
it's more  
than just  
a roof

**Matterhorn Metal Roofing** takes the form of slate, tile or wood shake to create a beautiful roof that makes a lasting impression.

Replicate the charm of artisanal roofing at a fraction of the cost with durable, lightweight steel.

Includes a lifetime limited warranty. Laboratory tested to resist fire, wind and hail.

Features a proprietary multi-coat paint system that offers 17 hyper-realistic color options across all profiles, including 16 CRRC-rated cool roofing colors.

**CertainTeed**  
SAINT-GOBAIN



# Integrity Roof System™

A COMPLETE APPROACH TO LONG LASTING BEAUTY AND PERFORMANCE



With as much care as you take in selecting the right contractor, choosing the right roof system is equally as important. A CertainTeed Integrity Roof System combines key elements that help ensure you have a well-built roof for long-lasting performance.

## 1. Waterproofing Underlayment

The first step in your defense against the elements. Self-adhering underlayment is installed at vulnerable areas of your roof to help prevent leaks from wind-driven rain and ice dams.

## 2. Water-Resistant Underlayment

Provides a protective layer over the roof deck and acts as a secondary barrier against leaks.

## 3. Starter Shingles

Starter Shingles are the first course of shingles that are installed and designed to work in tandem with the roof shingles above for optimal shingle sealing and performance.

## 4. Shingles

Choose from a variety of Good-Better-Best styles to complement any roof design and fit your budget.

## 5. Hip & Ridge Caps

Available in numerous profiles, these accessories are used on the roof's hip and ridge lines for a distinctive finishing touch to your new roof.

## 6. Ventilation

A roof that breathes is shown to perform better and last longer. Ridge Vents, in combination with Intake Vents, allow air to flow on the underside of your roof deck, keeping the attic cooler in the summer and drier in the winter.

learn more at:

[certainteed.com/roofing](https://certainteed.com/roofing)

Products  
available in  
areas shown



**CertainTeed**

CEILINGS • DECKING • FENCE • GYPSUM • INSULATION • RAILING • ROOFING • SIDING • TRIM

20 Moores Road Malvern, PA 19355 Professional: 800-233-8990 Consumer: 800-782-8777 [certainteed.com](https://certainteed.com)